

PID:
04010005

Certificato di approvazione

CID:
C.1993.1550

Approval certificate



IMQ, ente di certificazione accreditato,
autorizza la ditta

IMQ, accredited certification body, grants to

PRD N° 005B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements

IGUZZINI ILLUMINAZIONE SPA
VIA MARIANO GUZZINI 37
62019 RECANATI MC
IT - Italy

all'uso del marchio

the licence to use the mark

ENEC 03,IMQ

Il presente certificato è stato rilasciato sotto la presunzione e subordinatamente al fatto che il concessionario detenga tutti i necessari diritti legali relativi ai prodotti presentati per le prove e la certificazione, descritti nell'Allegato al presente certificato; inoltre, esso è soggetto alle condizioni previste nel Regolamento "MARCHI IMQ - Regolamento per la certificazione di prodotti".



La validità dei certificati ENEC è verificabile sul sito www.enec.com

per i seguenti prodotti

for the following products

Apparecchi di illuminazione di emergenza
(Serie EASY LED EMERGENZA)

Luminaires for emergency lighting
(Series EASY LED EMERGENZA)

This certificate has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the products presented for testing and certification, and listed in the annex to this certificate; moreover, it is subjected to the conditions foreseen by Rules "IMQ MARKS - RULES for product certification".

Validity of ENEC licences can be checked at www.enec.com

Emesso il | Issued on **2021-08-26**

Aggiornato il | Updated on **2024-04-12**

Sostituisce | Replaces **2021-09-02**

IMQ S.p.A.

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il | Issued on 2021-08-26
Aggiornato il | Updated on 2024-04-12
Sostituisce | Replaces 2021-09-02

Prodotto | Product

Apparecchi di illuminazione di emergenza Luminaires for emergency lighting

Concessionario | Licence Holder

IGUZZINI ILLUMINAZIONE SPA
VIA MARIANO GUZZINI 37
62019 RECANATI MC
IT - Italy

Marchio | Mark



ENEC 03,IMQ

Costruito a | Manufactured at

95001491 CLIGUZ.C04LCIGUZ.C 62019 RECANATI MC Italy

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme / Specifiche tecniche

Prodotto/i conforme/i alle Norme/Specifiche tecniche:

EN IEC 60598-1:2021 + A11:2022
EN 60598-2-22:2014 + A1:2020
EN 60598-2-2:2012
IEC/TR 62778:2014
Limitazioni ENEC all. B

Prodotti conformi agli obiettivi di sicurezza della Direttiva B.T. 2014/35/UE (Allegato I).

Standards / Technical specifications

Product/s complying to Standards/Technical specifications:

EN IEC 60598-1:2021 + A11:2022
EN 60598-2-22:2014 + A1:2020
EN 60598-2-2:2012
IEC/TR 62778:2014
ENEC Limitation encl. B

Products meeting the safety objectives of Low Voltage Directive 2014/35/EU (Annex I).

Rapporti | Test Reports

AI23-0094078-02

Caratteristiche tecniche | Technical characteristics

Tensione nominale Rated voltage	220/240 V
Grado di protezione Degree of protection (IP)	IP20 / IP54
Tipo di installazione Type of installation	plafone / ceiling
Classificazione del materiale del piano di appoggio Classification according to material of supporting surface	normalmente infiammabile / normally flammable
Classe di isolamento Degree of protection (class)	II
Tipo di servizio Type of operation	permanente / maintained
Possibilità di modo di riposo Rest mode facility	senza rest mode / without rest mode
Serie Series	EASY LED EMERGENZA
Gruppo di rischio Risk group	RG1

Articoli (con dettagli) | Articles (with details)

AR.V004UE

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **640,3 lm / 1,5 h - 642 lm / 3 h**
Rif. di tipo | Type ref. **QW04**
Rif. a cat. | Cat. ref. **QW04.D8**
Flusso in ordinario | Permanent lumen **4929 lm**

AR.V004UF

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **621,3 lm / 1,5 h - 623 lm / 3 h**
Rif. di tipo | Type ref. **QW05**
Rif. a cat. | Cat. ref. **QW05.D8**
Flusso in ordinario | Permanent lumen **4696,5 lm**

AR.V004UG

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **538,8 lm / 1,5 h - 540,3 lm / 3 h**
Rif. di tipo | Type ref. **QW06**
Rif. a cat. | Cat. ref. **QW06.D8**
Flusso in ordinario | Permanent lumen **4138,5 lm**

AR.V004UH

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **589,8 / 1,5 h - 589,7 lm / 3 h**
Rif. di tipo | Type ref. **QW35**
Rif. a cat. | Cat. ref. **QW35.F6**
Flusso in ordinario | Permanent lumen **4515 lm**

AR.V004UI

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **507,2 lm / 1,5 h - 507,1 lm / 3 h**
Rif. di tipo | Type ref. **QW36**
Rif. a cat. | Cat. ref. **QW36.F6**
Flusso in ordinario | Permanent lumen **4042 lm**

AR.V004UJ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **578 lm / 1,5 h - 577,9 lm / 3 h**
Rif. di tipo | Type ref. **QW37**
Rif. a cat. | Cat. ref. **QW37.F6**
Flusso in ordinario | Permanent lumen **4343 lm**

AR.V004UK

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **501,3 lm / 1,5 h - 501,3 lm / 3 h**
Rif. di tipo | Type ref. **QW38**
Rif. a cat. | Cat. ref. **QW38.F6**
Flusso in ordinario | Permanent lumen **3827 lm**

AR.V004UL

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **572,4 lm / 1,5 h - 564,4 lm / 3 h**
Rif. di tipo | Type ref. **R484**
Rif. a cat. | Cat. ref. **R484.D8**
Flusso in ordinario | Permanent lumen **2581 lm**

AR.V004UM

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **562,3 lm / 1,5 h - 554,5 lm / 3 h**
Rif. di tipo | Type ref. **R485**
Rif. a cat. | Cat. ref. **R485.D8**
Flusso in ordinario | Permanent lumen **2536,5 lm**

AR.V004UN

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **492 lm / 1,5 h - 485,2 lm / 3 h**
Rif. di tipo | Type ref. **R486**
Rif. a cat. | Cat. ref. **R486.D8**
Flusso in ordinario | Permanent lumen **2403 lm**

AR.V004UO

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **482 lm / 1,5 h - 475,3 lm / 3 h**
Rif. di tipo | Type ref. **R487**
Rif. a cat. | Cat. ref. **R487.D8**
Flusso in ordinario | Permanent lumen **2225 lm**

AR.V004UP

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **22,7 W (1x16,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **580 lm / 1,5 h - 578,5 lm / 3 h**
Rif. di tipo | Type ref. **R464**
Rif. a cat. | Cat. ref. **R464.39**
Flusso in ordinario | Permanent lumen **2447,5 lm**

AR.V004UQ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **22,7 W (1x16,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **569,2 lm / 1,5 h - 567,7 lm / 3 h**
Rif. di tipo | Type ref. **R465**
Rif. a cat. | Cat. ref. **R465.39**
Flusso in ordinario | Permanent lumen **2403 lm**

AR.V004UR

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **22,7 W (1x16,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **504,8 lm / 1,5 h - 503,5 lm / 3 h**
Rif. di tipo | Type ref. **R466**
Rif. a cat. | Cat. ref. **R466.39**
Flusso in ordinario | Permanent lumen **2269,5 lm**

AR.V004US

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **22,7 W (1x16,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **494,1 lm / 1,5 h - 492,8 lm / 3 h**
Rif. di tipo | Type ref. **R467**
Rif. a cat. | Cat. ref. **R467.39**
Flusso in ordinario | Permanent lumen **2091,5 lm**

AR.V004UT

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **591,9 lm / 1,5 h - 593,6 lm / 3 h**
Rif. di tipo | Type ref. **QV90**
Rif. a cat. | Cat. ref. **QV90.D8**
Flusso in ordinario | Permanent lumen **3094 lm**

AR.V004UU

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **574,2 lm / 1,5 h - 575,9 lm / 3 h**
Rif. di tipo | Type ref. **QV91**
Rif. a cat. | Cat. ref. **QV91.D8**
Flusso in ordinario | Permanent lumen **3094 lm**

AR.V004UV

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **503,6 lm / 1,5 h - 505 lm / 3 h**
Rif. di tipo | Type ref. **QV92**
Rif. a cat. | Cat. ref. **QV92.D8**
Flusso in ordinario | Permanent lumen **2684,5 lm**

AR.V004UW

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **528,5 lm / 1,5 h - 525,1 lm / 3 h**
Rif. di tipo | Type ref. **QW19**
Rif. a cat. | Cat. ref. **QW19.F6**
Flusso in ordinario | Permanent lumen **2822 lm**

AR.V004UX

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **449,6 lm / 1,5 h - 446,7 lm / 3 h**
Rif. di tipo | Type ref. **QW20**
Rif. a cat. | Cat. ref. **QW20.F6**
Flusso in ordinario | Permanent lumen **2614,5 lm**

AR.V004VI

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **512,7 lm / 1,5 h - 509,4 lm / 3 h**
Rif. di tipo | Type ref. **QW21**
Rif. a cat. | Cat. ref. **QW21.F6**
Flusso in ordinario | Permanent lumen **2822 lm**

AR.V004VJ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **449,6 lm / 1,5 h - 446,7 lm / 3 h**
Rif. di tipo | Type ref. **QW22**
Rif. a cat. | Cat. ref. **QW22.F6**
Flusso in ordinario | Permanent lumen **2448,5 lm**

AR.V004VK

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **572,8 lm / 1,5 h - 568,9 lm / 3 h**
Rif. di tipo | Type ref. **R474**
Rif. a cat. | Cat. ref. **R474.D8**
Flusso in ordinario | Permanent lumen **1513 lm**

AR.V004VL

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **572,8 lm / 1,5 h - 568,9 lm / 3 h**
Rif. di tipo | Type ref. **R475**
Rif. a cat. | Cat. ref. **R475.D8**
Flusso in ordinario | Permanent lumen **1468,5 lm**

AR.V004VM

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **503,4 lm / 1,5 h - 500 lm / 3 h**
Rif. di tipo | Type ref. **R476**
Rif. a cat. | Cat. ref. **R476.D8**
Flusso in ordinario | Permanent lumen **1379,5 lm**

AR.V004VN

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **486 lm / 1,5 h - 482,7 lm / 3 h**
Rif. di tipo | Type ref. **R477**
Rif. a cat. | Cat. ref. **R477.D8**
Flusso in ordinario | Permanent lumen **1290,5 lm**

AR.V004VO

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,3 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **583,2 lm / 1,5 h - 585,5 lm / 3 h**
Rif. di tipo | Type ref. **R454**
Rif. a cat. | Cat. ref. **R454.39**
Flusso in ordinario | Permanent lumen **1335 lm**

AR.V004VP

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,3 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **583,2 lm / 1,5 h - 585,5 lm / 3 h**
Rif. di tipo | Type ref. **R455**
Rif. a cat. | Cat. ref. **R455.39**
Flusso in ordinario | Permanent lumen **1335 lm**

AR.V004VQ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,3 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **502,7 lm / 1,5 h - 504,7 lm / 3 h**
Rif. di tipo | Type ref. **R456**
Rif. a cat. | Cat. ref. **R456.39**
Flusso in ordinario | Permanent lumen **1201,5 lm**

AR.V004VR

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,3 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **502,7 lm / 1,5 h - 504,7 lm / 3 h**
Rif. di tipo | Type ref. **R457**
Rif. a cat. | Cat. ref. **R457.39**
Flusso in ordinario | Permanent lumen **1201,5 lm**

AR.Y0017C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **605,8 lm / 1,5 h - 607,5 lm / 3 h**
Rif. di tipo | Type ref. **QW04**
Rif. a cat. | Cat. ref. **QW04.83**
Flusso in ordinario | Permanent lumen **4929 lm**

AR.Y0017D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **587,9 lm / 1,5 h - 589,5 lm / 3 h**
Rif. di tipo | Type ref. **QW05**
Rif. a cat. | Cat. ref. **QW05.83**
Flusso in ordinario | Permanent lumen **4696,5 lm**

AR.Y0017E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **509,9 lm / 1,5 h - 511,3 lm / 3 h**
Rif. di tipo | Type ref. **QW06**
Rif. a cat. | Cat. ref. **QW06.83**
Flusso in ordinario | Permanent lumen **4138,5 lm**

AR.Y0017F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **569,2 / 1,5 h - 569,1 lm / 3 h**
Rif. di tipo | Type ref. **QW35**
Rif. a cat. | Cat. ref. **QW35.F8**
Flusso in ordinario | Permanent lumen **4515 lm**

AR.Y0017G

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **489,5 lm / 1,5 h - 489,5 lm / 3 h**
Rif. di tipo | Type ref. **QW36**
Rif. a cat. | Cat. ref. **QW36.F8**
Flusso in ordinario | Permanent lumen **4042 lm**

AR.Y0017H

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **557,8 lm / 1,5 h - 577,8 lm / 3 h**
Rif. di tipo | Type ref. **QW37**
Rif. a cat. | Cat. ref. **QW37.F8**
Flusso in ordinario | Permanent lumen **4343 lm**

AR.Y0017I

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **41 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **483,8 lm / 1,5 h - 483,8 lm / 3 h**
Rif. di tipo | Type ref. **QW38**
Rif. a cat. | Cat. ref. **QW38.F8**
Flusso in ordinario | Permanent lumen **3827 lm**

AR.Y0017J

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **553,1 lm / 1,5 h - 545,4 lm / 3 h**
Rif. di tipo | Type ref. **R484**
Rif. a cat. | Cat. ref. **R484.83**
Flusso in ordinario | Permanent lumen **2581 lm**

AR.Y0017K

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **543,4 lm / 1,5 h - 535,8 lm / 3 h**
Rif. di tipo | Type ref. **R485**
Rif. a cat. | Cat. ref. **R485.83**
Flusso in ordinario | Permanent lumen **2536,5 lm**

AR.Y0017L

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **475,5 lm / 1,5 h - 468,8 lm / 3 h**
Rif. di tipo | Type ref. **R486**
Rif. a cat. | Cat. ref. **R486.83**
Flusso in ordinario | Permanent lumen **2403 lm**

AR.Y0017M

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,1 W (1x17,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **465,8 lm / 1,5 h - 459,3 lm / 3 h**
Rif. di tipo | Type ref. **R487**
Rif. a cat. | Cat. ref. **R487.38**
Flusso in ordinario | Permanent lumen **2225 lm**

AR.Y0017O

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **546,4 lm / 1,5 h - 547,9 lm / 3 h**
Rif. di tipo | Type ref. **QV90**
Rif. a cat. | Cat. ref. **QV90.83**
Flusso in ordinario | Permanent lumen **3094 lm**

AR.Y0017P

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **530,1 lm / 1,5 h - 531,6 lm / 3 h**
Rif. di tipo | Type ref. **QV91**
Rif. a cat. | Cat. ref. **QV91.38**
Flusso in ordinario | Permanent lumen **3094 lm**

AR.Y0017Q

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **464,8 lm / 1,5 h - 466,1 lm / 3 h**
Rif. di tipo | Type ref. **QV92**
Rif. a cat. | Cat. ref. **QV92.83**
Flusso in ordinario | Permanent lumen **2684,5 lm**

AR.Y0017R

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **503 lm / 1,5 h - 499,8 lm / 3 h**
Rif. di tipo | Type ref. **QW19**
Rif. a cat. | Cat. ref. **QW19.F8**
Flusso in ordinario | Permanent lumen **2822 lm**

AR.Y0017S

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **427,9 lm / 1,5 h - 452,2 lm / 3 h**
Rif. di tipo | Type ref. **QW20**
Rif. a cat. | Cat. ref. **QW20.F8**
Flusso in ordinario | Permanent lumen **2614,5 lm**

AR.Y0017T

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **488 lm / 1,5 h - 484,8 lm / 3 h**
Rif. di tipo | Type ref. **QW21**
Rif. a cat. | Cat. ref. **QW21.F8**
Flusso in ordinario | Permanent lumen **2822 lm**

AR.Y0017U

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **427,9 lm / 1,5 h - 425,2 lm / 3 h**
Rif. di tipo | Type ref. **QW22**
Rif. a cat. | Cat. ref. **QW22.F8**
Flusso in ordinario | Permanent lumen **2448,5 lm**

AR.Y0017V

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **547,1 lm / 1,5 h - 543,4 lm / 3 h**
Rif. di tipo | Type ref. **R474**
Rif. a cat. | Cat. ref. **R474.863**
Flusso in ordinario | Permanent lumen **1513 lm**

AR.Y0017W

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **547,1 lm / 1,5 h - 543,4 lm / 3 h**
Rif. di tipo | Type ref. **R475**
Rif. a cat. | Cat. ref. **R475.83**
Flusso in ordinario | Permanent lumen **1468,5 lm**

AR.Y0017X

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **480,8 lm / 1,5 h - 477,5 lm / 3 h**
Rif. di tipo | Type ref. **R476**
Rif. a cat. | Cat. ref. **R476.83**
Flusso in ordinario | Permanent lumen **1379,5 lm**

AR.Y0017Y

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,4 W (1x9,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **464,2 lm / 1,5 h - 461 lm / 3 h**
Rif. di tipo | Type ref. **R477**
Rif. a cat. | Cat. ref. **R477.83**
Flusso in ordinario | Permanent lumen **1290,5 lm**

AR.Y0017Z

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,2 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **605,8 lm / 1,5 h - 607,5 lm / 3 h**
Rif. di tipo | Type ref. **QF77**
Rif. a cat. | Cat. ref. **QF77.01**
Flusso in ordinario | Permanent lumen **4664 lm**

AR.Y00180

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,2 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **619,6 lm / 1,5 h - 621,3 lm / 3 h**
Rif. di tipo | Type ref. **QF77**
Rif. a cat. | Cat. ref. **QF77.39**
Flusso in ordinario | Permanent lumen **4664 lm**

AR.Y00181

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,2 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **587,9 lm / 1,5 h - 589,5 lm / 3 h**
Rif. di tipo | Type ref. **QF78**
Rif. a cat. | Cat. ref. **QF78.01**
Flusso in ordinario | Permanent lumen **4444 lm**

AR.Y00182

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,2 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **601,2 lm / 1,5 h - 602,9 lm / 3 h**
Rif. di tipo | Type ref. **QF78**
Rif. a cat. | Cat. ref. **QF78.39**
Flusso in ordinario | Permanent lumen **4444 lm**

AR.Y00183

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,2 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **509,9 lm / 1,5 h - 511,3 lm / 3 h**
Rif. di tipo | Type ref. **QF79**
Rif. a cat. | Cat. ref. **QF79.01**
Flusso in ordinario | Permanent lumen **3916 lm**

AR.Y00184

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,2 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **521,5 lm / 1,5 h - 522,9 lm / 3 h**
Rif. di tipo | Type ref. **QF79**
Rif. a cat. | Cat. ref. **QF79.39**
Flusso in ordinario | Permanent lumen **3916 lm**

AR.Y00185

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **576,1 lm / 1,5 h - 576 lm / 3 h**
Rif. di tipo | Type ref. **QG09**
Rif. a cat. | Cat. ref. **QG09.39**
Flusso in ordinario | Permanent lumen **4410 lm**

AR.Y00186

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **495,4 lm / 1,5 h - 495,4 lm / 3 h**
Rif. di tipo | Type ref. **QG10**
Rif. a cat. | Cat. ref. **QG10.39**
Flusso in ordinario | Permanent lumen **3948 lm**

AR.Y00187

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **564,5 lm / 1,5 h - 564,5 lm / 3 h**
Rif. di tipo | Type ref. **QG11**
Rif. a cat. | Cat. ref. **QG11.39**
Flusso in ordinario | Permanent lumen **4242 lm**

AR.Y00188

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **489,7 lm / 1,5 h - 489,6 lm / 3 h**
Rif. di tipo | Type ref. **QG12**
Rif. a cat. | Cat. ref. **QG12.39**
Flusso in ordinario | Permanent lumen **3738 lm**

AR.Y00189

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **552,9 lm / 1,5 h - 554,4 lm / 3 h**
Rif. di tipo | Type ref. **QF64**
Rif. a cat. | Cat. ref. **QF64.01**
Flusso in ordinario | Permanent lumen **2890 lm**

AR.Y0018A

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **585,4 lm / 1,5 h - 587,1 lm / 3 h**
Rif. di tipo | Type ref. **QF64**
Rif. a cat. | Cat. ref. **QF64.39**
Flusso in ordinario | Permanent lumen **2890 lm**

AR.Y0018B

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **536,4 lm / 1,5 h - 537,9 lm / 3 h**
Rif. di tipo | Type ref. **QF65**
Rif. a cat. | Cat. ref. **QF65.01**
Flusso in ordinario | Permanent lumen **2890 lm**

AR.Y0018C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **567,9 lm / 1,5 h - 569,5 lm / 3 h**
Rif. di tipo | Type ref. **QF65**
Rif. a cat. | Cat. ref. **QF65.39**
Flusso in ordinario | Permanent lumen **2890 lm**

AR.Y0018D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **462,1 lm / 1,5 h - 463,4 lm / 3 h**
Rif. di tipo | Type ref. **QF66**
Rif. a cat. | Cat. ref. **QF66.01**
Flusso in ordinario | Permanent lumen **2507,5 lm**

AR.Y0018E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **489,3 lm / 1,5 h - 490,7 lm / 3 h**
Rif. di tipo | Type ref. **QF66**
Rif. a cat. | Cat. ref. **QF66.39**
Flusso in ordinario | Permanent lumen **2507,5 lm**

AR.Y0018F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **572,1 lm / 1,5 h - 568,4 lm / 3 h**
Rif. di tipo | Type ref. **QF92**
Rif. a cat. | Cat. ref. **QF92.39**
Flusso in ordinario | Permanent lumen **3182 lm**

AR.Y0018G

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **490,4 lm / 1,5 h - 487,2 lm / 3 h**
Rif. di tipo | Type ref. **QF93**
Rif. a cat. | Cat. ref. **QF93.39**
Flusso in ordinario | Permanent lumen **2795 lm**

AR.Y0018I

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **563,9 lm / 1,5 h - 560,3 lm / 3 h**
Rif. di tipo | Type ref. **QF94**
Rif. a cat. | Cat. ref. **QF94.39**
Flusso in ordinario | Permanent lumen **3010 lm**

AR.Y0018K

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **490,4 lm / 1,5 h - 487,2 lm / 3 h**
Rif. di tipo | Type ref. **QF95**
Rif. a cat. | Cat. ref. **QF95.39**
Flusso in ordinario | Permanent lumen **2666 lm**

AR.Y0018U

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,3 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **549,2 lm / 1,5 h - 550,7 lm / 3 h**
Rif. di tipo | Type ref. **RM09**
Rif. a cat. | Cat. ref. **RM09.D8**
Flusso in ordinario | Permanent lumen **4231,5 lm**

AR.Y0018V

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,3 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **519,7 lm / 1,5 h - 521,2 lm / 3 h**
Rif. di tipo | Type ref. **RM09**
Rif. a cat. | Cat. ref. **RM09.83**
Flusso in ordinario | Permanent lumen **4231,5 lm**

AR.Y0018W

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **511 lm / 1,5 h - 511 lm / 3 h**
Rif. di tipo | Type ref. **RM19**
Rif. a cat. | Cat. ref. **RM19.F6**
Flusso in ordinario | Permanent lumen **3870 lm**

AR.Y0018X

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **493,1 lm / 1,5 h - 493,1 lm / 3 h**
Rif. di tipo | Type ref. **RM19**
Rif. a cat. | Cat. ref. **RM19.F8**
Flusso in ordinario | Permanent lumen **3870 lm**

AR.Y0018Y

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **22,7 W (1x16,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **497,6 lm / 1,5 h - 490,7 lm / 3 h**
Rif. di tipo | Type ref. **RM25**
Rif. a cat. | Cat. ref. **RM25.D8**
Flusso in ordinario | Permanent lumen **2314 lm**

AR.Y0018Z

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **22,7 W (1x16,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **480 lm / 1,5 h - 474,2 lm / 3 h**
Rif. di tipo | Type ref. **RM25**
Rif. a cat. | Cat. ref. **RM25.83**
Flusso in ordinario | Permanent lumen **2314 lm**

AR.Y00190

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,3 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **519,7 lm / 1,5 h - 521,2 lm / 3 h**
Rif. di tipo | Type ref. **RL69**
Rif. a cat. | Cat. ref. **RL69.01**
Flusso in ordinario | Permanent lumen **4004 lm**

AR.Y00191

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32,3 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **531,6 lm / 1,5 h - 533 lm / 3 h**
Rif. di tipo | Type ref. **RL69**
Rif. a cat. | Cat. ref. **RL69.39**
Flusso in ordinario | Permanent lumen **4004 lm**

AR.Y00192

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **499,1 lm / 1,5 h - 499 lm / 3 h**
Rif. di tipo | Type ref. **RL79**
Rif. a cat. | Cat. ref. **RL79.39**
Flusso in ordinario | Permanent lumen **3780 lm**

AR.Y00193

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **40,7 W (1x32 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **510,1 lm / 1,5 h - 508,8 lm / 3 h**
Rif. di tipo | Type ref. **RL85**
Rif. a cat. | Cat. ref. **RL85.39**
Flusso in ordinario | Permanent lumen **3780 lm**

AR.Y00194

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **477,1 lm / 1,5 h - 478,4 lm / 3 h**
Rif. di tipo | Type ref. **RL64**
Rif. a cat. | Cat. ref. **RL64.01**
Flusso in ordinario | Permanent lumen **2592,5 lm**

AR.Y00195

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **502,2 lm / 1,5 h - 506,6 lm / 3 h**
Rif. di tipo | Type ref. **RL64**
Rif. a cat. | Cat. ref. **RL64.39**
Flusso in ordinario | Permanent lumen **2592,5 lm**

AR.Y00196

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **499,9 lm / 1,5 h - 496,6 lm / 3 h**
Rif. di tipo | Type ref. **RL74**
Rif. a cat. | Cat. ref. **RL74.39**
Flusso in ordinario | Permanent lumen **2709 lm**

AR.Y00197

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,2 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **519 lm / 1,5 h - 521,1 lm / 3 h**
Rif. di tipo | Type ref. **RL82**
Rif. a cat. | Cat. ref. **RL82.39**
Flusso in ordinario | Permanent lumen **1157 lm**

AR.Y00198

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **519,9 lm / 1,5 h - 521,4 lm / 3 h**
Rif. di tipo | Type ref. **RM04**
Rif. a cat. | Cat. ref. **RM04.D8**
Flusso in ordinario | Permanent lumen **2775,5 lm**

AR.Y00199

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,6 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **479,9 lm / 1,5 h - 481,2 lm / 3 h**
Rif. di tipo | Type ref. **RM04**
Rif. a cat. | Cat. ref. **RM04.83**
Flusso in ordinario | Permanent lumen **2775,5 lm**

AR.Y0019A

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **464,2 lm / 1,5 h - 461,2 lm / 3 h**
Rif. di tipo | Type ref. **RM14**
Rif. a cat. | Cat. ref. **RM14.F6**
Flusso in ordinario | Permanent lumen **2531,5 lm**

AR.Y0019B

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **29,4 W (1x21,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **441,8 lm / 1,5 h - 439 lm / 3 h**
Rif. di tipo | Type ref. **RM14**
Rif. a cat. | Cat. ref. **RM14.F8**
Flusso in ordinario | Permanent lumen **2531,5 lm**

AR.Y0019C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,3 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **501,8 lm / 1,5 h - 498,4 lm / 3 h**
Rif. di tipo | Type ref. **RM22**
Rif. a cat. | Cat. ref. **RM22.D8**
Flusso in ordinario | Permanent lumen **1335 lm**

AR.Y0019D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,3 W (1x8,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **479,3 lm / 1,5 h - 476 lm / 3 h**
Rif. di tipo | Type ref. **RM22**
Rif. a cat. | Cat. ref. **RM22.83**
Flusso in ordinario | Permanent lumen **1335 lm**

Ulteriori informazioni | Additional Information

IP20 Parte incassata
IP54 Parte esterna

xx identifica il colore:

D8 Bianco trasparente
83 Nero trasparente
F6 Bianco - trasparente - cromo
F8 Nero - trasparente - cromo
39 Bianco/Alluminio
01 Bianco

IP20 Recessed part
IP54 External part

xx identify colours:

D8 White transparent
83 Black transparent
F6 White - transparent - chrome
F8 Black - transparent - chrome
39 White/Aluminium
01 White

Componenti | Component List

Vedere apposito elenco /See relevant annex

Emesso il | Issued on **2021-08-26**

Aggiornato il | Updated on **2024-04-12**

Sostituisce | Replaces **2021-09-02**

Diritti di concessione | Annual Fees

SN.V000J6

BTY.040100.DD23

Importo modelli ENEC - 0401 - Apparecchi di illuminazione e accessori | ENEC models - 0401 -
Luminaires

1