

PID:
04010005

Certificato di approvazione

CID:
C.1993.1550

Approval certificate



IMQ, ente di certificazione accreditato,
autorizza la ditta

IMQ, accredited certification body, grants to

PRD N° 005B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements

IGUZZINI ILLUMINAZIONE SPA
VIA MARIANO GUZZINI 37
62019 RECANATI MC
IT - Italy

all'uso del marchio

the licence to use the mark

ENEC 03,IMQ

Il presente certificato è stato rilasciato sotto la presunzione e subordinatamente al fatto che il concessionario detenga tutti i necessari diritti legali relativi ai prodotti presentati per le prove e la certificazione, descritti nell'Allegato al presente certificato; inoltre, esso è soggetto alle condizioni previste nel Regolamento "MARCHI IMQ - Regolamento per la certificazione di prodotti".



La validità dei certificati ENEC è verificabile sul sito www.enec.com

per i seguenti prodotti

for the following products

Apparecchi di illuminazione di emergenza
(Serie EASY SPACE SQUARE)

Luminaires for emergency lighting
(Series EASY SPACE SQUARE)

This certificate has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the products presented for testing and certification, and listed in the annex to this certificate; moreover, it is subjected to the conditions foreseen by Rules "IMQ MARKS - RULES for product certification".

Validity of ENEC licences can be checked at www.enec.com

Emesso il | Issued on **2024-03-26**

Aggiornato il | Updated on **2024-04-10**

Sostituisce | Replaces **2024-03-26**

IMQ S.p.A.

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il | Issued on 2024-03-26
Aggiornato il | Updated on 2024-04-10
Sostituisce | Replaces 2024-03-26

Prodotto | Product

Apparecchi di illuminazione di emergenza Luminaires for emergency lighting

Concessionario | Licence Holder

IGUZZINI ILLUMINAZIONE SPA
VIA MARIANO GUZZINI 37
62019 RECANATI MC
IT - Italy

Marchio | Mark



ENEC 03,IMQ

Costruito a | Manufactured at

95001491 CLIGUZ.C04LCIGUZ.C 62019 RECANATI MC Italy

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme / Specifiche tecniche

Prodotto/i conforme/i alle Norme/Specifiche tecniche:

EN IEC 60598-1:2021 + A11:2022
EN 60598-2-22:2014 + A1:2020
EN 60598-2-2:2012
IEC/TR 62778:2014
Limitazioni ENEC all. B

Prodotti conformi agli obiettivi di sicurezza della Direttiva B.T. 2014/35/UE (Allegato I).

Standards / Technical specifications

Product/s complying to Standards/Technical specifications:

EN IEC 60598-1:2021 + A11:2022
EN 60598-2-22:2014 + A1:2020
EN 60598-2-2:2012
IEC/TR 62778:2014
ENEC Limitation encl. B

Products meeting the safety objectives of Low Voltage Directive 2014/35/EU (Annex I).

Rapporti | Test Reports

AI23-0094078-01 Rev. 1

Caratteristiche tecniche | Technical characteristics

Tensione nominale Rated voltage	220/240 V
Grado di protezione Degree of protection (IP)	IP20/IP54
Tipo di installazione Type of installation	plafone incasso / ceiling recessed
Classificazione del materiale del piano di appoggio Classification according to material of supporting surface	normalmente infiammabile / normally flammable
Classe di isolamento Degree of protection (class)	II
Tipo di servizio Type of operation	permanente / maintained
Possibilità di modo di riposo Rest mode facility	con rest mode / with rest mode
Serie Series	EASY SPACE SQUARE
Gruppo di rischio Risk group	RG1

Articoli (con dettagli) | Articles (with details)

AR.Y000WY

Marca Trade mark	iGuzzini
N.lampada/Pn No. of lamps/Rated wattage	28,7 W (1x22 W/LED)
Attacco lamp./tipo Lamp cap/type	LED Neutral White 4000 K CRI80
Flusso in emergenza/autonomia Emergency lumen/duration	624,2 lm / 1,5 h - 626 lm / 3 h
Rif. di tipo Type ref.	RI48
Rif. a cat. Cat. ref.	RI48.D8
Flusso in ordinario Permanent lumen	3215 lm

AR.Y000WZ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **571,1 lm / 1,5 h - 572,7 lm / 3 h**
Rif. di tipo | Type ref. **RI48**
Rif. a cat. | Cat. ref. **RI48.83**
Flusso in ordinario | Permanent lumen **2941 lm**

AR.Y000X0

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **619,9 lm / 1,5 h - 618,6 lm / 3 h**
Rif. di tipo | Type ref. **RI49**
Rif. a cat. | Cat. ref. **RI49.D8**
Flusso in ordinario | Permanent lumen **3177 lm**

AR.Y000X1

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **564,4 lm / 1,5 h - 566 lm / 3 h**
Rif. di tipo | Type ref. **RI49**
Rif. a cat. | Cat. ref. **RI49.83**
Flusso in ordinario | Permanent lumen **2907 lm**

AR.Y000X2

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **536,6 lm / 1,5 h - 538,1 lm / 3 h**
Rif. di tipo | Type ref. **RI50**
Rif. a cat. | Cat. ref. **RI50.D8**
Flusso in ordinario | Permanent lumen **2764 lm**

AR.Y000X3

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x22 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **490,9 lm / 1,5 h - 492,3 lm / 3 h**
Rif. di tipo | Type ref. **RI50**
Rif. a cat. | Cat. ref. **RI50.83**
Flusso in ordinario | Permanent lumen **2528 lm**

AR.Y000X4

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **543,1 lm / 1,5 h - 539,5 lm / 3 h**
Rif. di tipo | Type ref. **RI74**
Rif. a cat. | Cat. ref. **RI74.D8**
Flusso in ordinario | Permanent lumen **1392 lm**

AR.Y000X5

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **513,3 lm / 1,5 h - 509,8 lm / 3 h**
Rif. di tipo | Type ref. **RI74**
Rif. a cat. | Cat. ref. **RI74.83**
Flusso in ordinario | Permanent lumen **1316 lm**

AR.Y000X6

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **500,5 lm / 1,5 h - 497,1 lm / 3 h**
Rif. di tipo | Type ref. **RI75**
Rif. a cat. | Cat. ref. **RI75.D8**
Flusso in ordinario | Permanent lumen **1283 lm**

AR.Y000X7

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **473 lm / 1,5 h - 469,8 lm / 3 h**
Rif. di tipo | Type ref. **RI75**
Rif. a cat. | Cat. ref. **RI75.83**
Flusso in ordinario | Permanent lumen **1213 lm**

AR.Y000X8

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **536 lm / 1,5 h - 532,4 lm / 3 h**
Rif. di tipo | Type ref. **RI76**
Rif. a cat. | Cat. ref. **RI76.D8**
Flusso in ordinario | Permanent lumen **1374 lm**

AR.Y000X9

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **506,6 lm / 1,5 h - 503,1 lm / 3 h**
Rif. di tipo | Type ref. **RI76**
Rif. a cat. | Cat. ref. **RI76.83**
Flusso in ordinario | Permanent lumen **1299 lm**

AR.Y000XA

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **468,6 lm / 1,5 h - 465,4 lm / 3 h**
Rif. di tipo | Type ref. **RI77**
Rif. a cat. | Cat. ref. **RI77.D8**
Flusso in ordinario | Permanent lumen **1201 lm**

AR.Y000XB

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **442,8 lm / 1,5 h - 439,8 lm / 3 h**
Rif. di tipo | Type ref. **RI77**
Rif. a cat. | Cat. ref. **RI77.83**
Flusso in ordinario | Permanent lumen **1135 lm**

AR.Y000XC

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **554,8 lm / 1,5 h - 556,4 lm / 3 h**
Rif. di tipo | Type ref. **RM44**
Rif. a cat. | Cat. ref. **RM44.D8**
Flusso in ordinario | Permanent lumen **2858 lm**

AR.Y000XD

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,7 W (1x21,6 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **507,7 lm / 1,5 h - 509,1 lm / 3 h**
Rif. di tipo | Type ref. **RM44**
Rif. a cat. | Cat. ref. **RM44.83**
Flusso in ordinario | Permanent lumen **2614 lm**

AR.Y000XG

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **482,8 lm / 1,5 h - 479,5 lm / 3 h**
Rif. di tipo | Type ref. **RM52**
Rif. a cat. | Cat. ref. **RM52.D8**
Flusso in ordinario | Permanent lumen **1238 lm**

AR.Y000XH

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **13,9 W (1x8,7 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **456,2 lm / 1,5 h - 453,1 lm / 3 h**
Rif. di tipo | Type ref. **RM52**
Rif. a cat. | Cat. ref. **RM52.83**
Flusso in ordinario | Permanent lumen **1170 lm**

AR.Y000XI

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **627,6 lm / 1,5 h - 629,3 lm / 3 h**
Rif. di tipo | Type ref. **RI65**
Rif. a cat. | Cat. ref. **RI65.D8**
Flusso in ordinario | Permanent lumen **4455 lm**

AR.Y000XJ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **580,4 lm / 1,5 h - 581,9 lm / 3 h**
Rif. di tipo | Type ref. **RI65**
Rif. a cat. | Cat. ref. **RI65.83**
Flusso in ordinario | Permanent lumen **4158 lm**

AR.Y000XK

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **599,7 lm / 1,5 h - 601,3 lm / 3 h**
Rif. di tipo | Type ref. **RI66**
Rif. a cat. | Cat. ref. **RI66.D8**
Flusso in ordinario | Permanent lumen **4257 lm**

AR.Y000XL

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **554,6 lm / 1,5 h - 556,1 lm / 3 h**
Rif. di tipo | Type ref. **RI66**
Rif. a cat. | Cat. ref. **RI66.83**
Flusso in ordinario | Permanent lumen **3973 lm**

AR.Y000XM

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **527,4 lm / 1,5 h - 528,9 lm / 3 h**
Rif. di tipo | Type ref. **RI67**
Rif. a cat. | Cat. ref. **RI67.D8**
Flusso in ordinario | Permanent lumen **3744 lm**

AR.Y000XN

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **487,7 lm / 1,5 h - 489,1 lm / 3 h**
Rif. di tipo | Type ref. **RI67**
Rif. a cat. | Cat. ref. **RI67.83**
Flusso in ordinario | Permanent lumen **3494 lm**

AR.Y000XO

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **519,7 lm / 1,5 h - 512,4 lm / 3 h**
Rif. di tipo | Type ref. **RI84**
Rif. a cat. | Cat. ref. **RI84.D8**
Flusso in ordinario | Permanent lumen **2254 lm**

AR.Y000XP

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **503,1 lm / 1,5 h - 496,1 lm / 3 h**
Rif. di tipo | Type ref. **RI84**
Rif. a cat. | Cat. ref. **RI84.83**
Flusso in ordinario | Permanent lumen **2181 lm**

AR.Y000XQ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **479,4 lm / 1,5 h - 472,7 lm / 3 h**
Rif. di tipo | Type ref. **RI85**
Rif. a cat. | Cat. ref. **RI85.D8**
Flusso in ordinario | Permanent lumen **2079 lm**

AR.Y000XR

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **464,1 lm / 1,5 h - 457,6 lm / 3 h**
Rif. di tipo | Type ref. **RI85**
Rif. a cat. | Cat. ref. **RI85.83**
Flusso in ordinario | Permanent lumen **2011 lm**

AR.Y000XS

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **513,3 lm / 1,5 h - 506,2 lm / 3 h**
Rif. di tipo | Type ref. **RI86**
Rif. a cat. | Cat. ref. **RI86.D8**
Flusso in ordinario | Permanent lumen **2226 lm**

AR.Y000XT

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **496,9 lm / 1,5 h - 490 lm / 3 h**
Rif. di tipo | Type ref. **RI86**
Rif. a cat. | Cat. ref. **RI86.83**
Flusso in ordinario | Permanent lumen **2154 lm**

AR.Y000XU

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **445,4 lm / 1,5 h - 439,2 lm / 3 h**
Rif. di tipo | Type ref. **RI87**
Rif. a cat. | Cat. ref. **RI87.D8**
Flusso in ordinario | Permanent lumen **1932 lm**

AR.Y000XV

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **431,2 lm / 1,5 h - 425,2 lm / 3 h**
Rif. di tipo | Type ref. **RI87**
Rif. a cat. | Cat. ref. **RI87.83**
Flusso in ordinario | Permanent lumen **1869 lm**

AR.Y000XW

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **431,2 lm / 1,5 h - 425,2 lm / 3 h**
Rif. di tipo | Type ref. **RM49**
Rif. a cat. | Cat. ref. **RM49.D8**
Flusso in ordinario | Permanent lumen **3816 lm**

AR.Y000XX

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **38 W (1x29,5 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **497,1 lm / 1,5 h - 498,5 lm / 3 h**
Rif. di tipo | Type ref. **RM49**
Rif. a cat. | Cat. ref. **RM49.83**
Flusso in ordinario | Permanent lumen **3562 lm**

AR.Y000XY

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **460,3 lm / 1,5 h - 453,9 lm / 3 h**
Rif. di tipo | Type ref. **RM55**
Rif. a cat. | Cat. ref. **RM55.D8**
Flusso in ordinario | Permanent lumen **1996 lm**

AR.Y000XZ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **21,1 W (1x14,4 W/LED)**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500 K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **445,6 lm / 1,5 h - 439,4 lm / 3 h**
Rif. di tipo | Type ref. **RM55**
Rif. a cat. | Cat. ref. **RM55.83**
Flusso in ordinario | Permanent lumen **1931 lm**



Ulteriori informazioni | Additional Information

IP20 Parte incassata
 IP54 Parte incassata

Colori disponibili: 83 Nero trasparente, D8 Bianco trasparente

IP20 Recessed part
 IP54 External part

Available colours: 83 Black transparent, D8 White transparent

Componenti | Component List

Vedere apposito elenco /See relevant annex

Emesso il | Issued on **2024-03-26**

Aggiornato il | Updated on **2024-04-10**

Sostituisce | Replaces **2024-03-26**

Diritti di concessione | Annual Fees

SN.Y00040

BTY.040100.DD23

Importo modelli ENEC - 0401 - Apparecchi di illuminazione e accessori | ENEC models - 0401 -
 Luminaires

1