



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2021011001424490

Valid from: May.25,2023

Valid until: Oct.12,2026

NAME AND REGISTERED ADDRESS OF THE APPLICANT iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND LOCATION OF THE FACTORY iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

PRODUCT MODEL(S) Fixed Luminaire For LED Modules (Controlled Port Dimming, Ceiling Suspend Mounted / Wall Mounted, A.C. Supplied Electronic Controlgear For LED Modules, Class I , IP20, Suitable For Direct Mounting On Normally Flammable Material)
See Appendix. 220-240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB/T 17743-2021;GB 7000.1-2015;GB 7000.201-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.12,2021

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE NO. : 2021011001424490

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

DALI 调光:

QX90 28.5W(4×(36×0.18W/LED)), QX92 28.5W(4×(36×0.18W/LED)),
QX94 28.5W(4×(36×0.18W/LED)), QX96 28.5W(4×(36×0.18W/LED)),
QY05 30.7W(4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY06 46.3W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY07 30.7W(4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY08 46.3W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY09 30.7W (4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY10 46.3W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY11 30.7W (4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY12 46.3W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY13 33.4W (4×(48×0.09W/LED)+1×(144×0.09W/LED)),
QY14 47.6W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY15 47.6W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY16 47.6W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY17 47.6W (4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY18 36.3W (8×(36×0.12W/LED)), QY19 57.9W (8×(36×0.18W/LED)),
QY20 36.3W (8×(36×0.12W/LED)), QY21 57.9W (8×(36×0.18W/LED)),
QY22 36.3W (8×(36×0.12W/LED)), QY23 57.9W (8×(36×0.18W/LED)),
QY24 36.3W (8×(36×0.12W/LED)), QY25 57.9W (8×(36×0.18W/LED)),
QY26 61.5W (8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY27 92.6W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY28 61.5W (8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY29 92.6W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY30 61.5W (8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY31 92.6W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY32 61.5W (8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY33 92.6W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY34 91.2W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY35 91.2W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE NO. : 2021011001424490

page 2 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

QY36 91.2W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),

QY37 91.2W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)).

220-240V~ 50/60Hz

通过式布线最大电流 9A。

灯具可用于环路连接, 连接灯具的最大数量 (支) :

型号	灯具可用于环路连接, 连接灯具的最大数量 (支)
QX90, QX92, QX94, QX96	69
QY05, QY07, QY09, QY11	64
QY06, QY08, QY10, QY12	42
QY13	60
QY14, QY15, QY16, QY17	40
QY18, QY20, QY22, QY24	56
QY19, QY21, QY23, QY25	34
QY26, QY28, QY30, QY32	33
QY27, QY29, QY31, QY33, QY34, QY35, QY36, QY37	21





中国国家强制性产品认证证书

证书编号: 2021011001424490

发证日期: 2023年05月25日

有效期至: 2026年10月12日

认证委托人名称 及注册地址	iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利
产品生产者名称 及注册地址	iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利
生产企业名称 及生产地址	iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利
产品名称和系列、 规格、型号	固定式灯具(控制端口调光,吊式/壁式,LED模块用交流电子控制装置,I类,IP20,适宜直接安装在普通可燃材料表面) 见附件。220-240V~50/60Hz
产品标准和 技术要求	GB 17625.1-2012;GB/T 17743-2021;GB 7000.1-2015;GB 7000.201-2008

上述产品符合 CNCA-C10-01:2014 认证规则的要求,特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期:2021年10月12日

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号 2021011001424490

第 1 页 共 2 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

DALI 调光：

QX90 28.5W(4×(36×0.18W/LED)), QX92 28.5W(4×(36×0.18W/LED)),
QX94 28.5W(4×(36×0.18W/LED)), QX96 28.5W(4×(36×0.18W/LED)),
QY05 30.7W(4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY06 46.3W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY07 30.7W(4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY08 46.3W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY09 30.7W(4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY10 46.3W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY11 30.7W(4×(36×0.12W/LED)+ 1×(96×0.12W/LED)),
QY12 46.3W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY13 33.4W(4×(48×0.09W/LED)+1×(144×0.09W/LED)),
QY14 47.6W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY15 47.6W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY16 47.6W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY17 47.6W(4×(36×0.18W/LED)+ 1×(96×0.18W/LED)),
QY18 36.3W(8×(36×0.12W/LED)), QY19 57.9W(8×(36×0.18W/LED)),
QY20 36.3W(8×(36×0.12W/LED)), QY21 57.9W(8×(36×0.18W/LED)),
QY22 36.3W(8×(36×0.12W/LED)), QY23 57.9W(8×(36×0.18W/LED)),
QY24 36.3W(8×(36×0.12W/LED)), QY25 57.9W(8×(36×0.18W/LED)),
QY26 61.5W(8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY27 92.6W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY28 61.5W(8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY29 92.6W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY30 61.5W(8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY31 92.6W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY32 61.5W(8×(36×0.12W/LED)+ 2×(96×0.12W/LED)),
QY33 92.6W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY34 91.2W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY35 91.2W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),
QY36 91.2W(8×(36×0.18W/LED)+ 2×(96×0.18W/LED)),



中国质量认证中心



中国国家强制性产品认证证书

证书编号 2021011001424490

第 2 页 共 2 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

QY37 91.2W (8×(36×0.18W/LED)+ 2×(96×0.18W/LED)).

220-240V~ 50/60Hz

通过式布线最大电流 9A。

灯具可用于环路连接，连接灯具的最大数量（支）：

型号	灯具可用于环路连接,连接灯具的最大数量（支）
QX90, QX92, QX94, QX96	69
QY05, QY07, QY09, QY11	64
QY06, QY08, QY10, QY12	42
QY13	60
QY14, QY15, QY16, QY17	40
QY18, QY20, QY22, QY24	56
QY19, QY21, QY23, QY25	34
QY26, QY28, QY30, QY32	33
QY27, QY29, QY31, QY33, QY34, QY35, QY36, QY37	21



中国质量认证中心